

Getting Started With GLiCID: Beginner Session

Mir Junaid

November 30, 2023



WORKSHOP SERIES - Save The Date

Getting Started With Nautilus: Beginner Session	28-09-2023
Introduction to Git/GitLab	05-10-2023
Getting Started With GLiCID: Advanced Session	19-10-2023
Introduction to Parallel Programming (OpenMP/MPI)	09-11-2023
Reproducible Research Using Containers (Apptainer/Singularity)	16-11-2023
Getting Started With GLiCID: Beginner Session	30-11-2023
Introduction to JupyterLab/Python	14-12-2023
Getting Started With GLiCID: Advanced Session Session	11-01-2023
Introduction to CUDA Python/C++	25-01-2024
Guix: Best Practices	Yet to decide

OUTLINE

- Introduction to High Performance Computing (HPC)
 - What's HPC?
 - HPC Use Cases
- Introducing NAUTILUS
 - Architecture of Nautilus
- Working With A Supercomputer
 - Basic Linux Commands
 - SSH Connections and access to Nautilus
- SLURM Workload Manager
 - Basic Slurm Commands
 - Batch Scripting
- Modules
- Guix Package Manager
- Data Management

GLiCID Forum

<https://forum.glicid.fr/>



GLiCID

all categories ▾ all tags ▾ Latest New Unread Top Categories + New Topic

Topic Replies Views Activity

🚩 Welcome to GLiCID User Forum! 🎉

■ General

We are so glad you joined us. GLiCID User Forum Forum of the users of GLiCID Here are some things you can do to get started: 🗣️ Introduce yourself by adding your picture and information about yourself a... read more

Politique de confidentialité

Conditions générales d'utilisation

Admin Guide: Getting Started

FAQ/Guidelines

There are no more latest topics.

- Topics
- My Posts
- Users
- About
- FAQ
- Groups
- Badges
- Categories
 - Artificial Intelligence
 - Containers
 - Debug / Tips
 - First Steps
 - General
 - GLiCID Feedback
 - Guix / Modules
 - Jupyter
 - Linux
 - Parallel Programming
 - SLURM
 - Software
- All categories

GLiCID Chatbot

<https://clam.glicid.fr/home/>

GLiCID - CLuster Account Manager - PREVIEW Welcome Junaid Mir [Junaid.Mir@ec-nantes.fr] My Profile Sign-out

Home

Home

Preview Version :Welcome to the preview version of GLiCID Cluster Account Manager. Please remember that it may broke unexpectedly. ×

Preview Version :The datas below may not be accurate (some may be placeholders). ×

GLiCID Beta : The cluster is in beta and is only accessible to selected beta users ×

Cluster Fullness Today 0	Jobs On the last 365 Days 0	CPU Time On the last 365 Days 0	Users Total 178	Projects Total 9	Disk Space Total 800 To
--------------------------------	-----------------------------------	---------------------------------------	-----------------------	------------------------	-------------------------------

Pinned Content

How to use this site

Click on "Sign-in" on the top-right corner, then use your academic credentials by clicking on "Log-in".

On the next page, use the search input to look for your institute then click on it. If you use a "CRU" account, search for "CRU" in the list.

Then, use your credentials to gain access to the registration form. If you're not redirected to it, please click on "My Profile" on the top-right corner.

There, please complete and send the form, and then wait for our approval.

Once your account is validated, you will receive an email with all the information to start using our services.

Latest News

No news to list

CLAM - V1.0.0 CHANGELOG

Junaid Mir Online ×

Hello

Hi. How may I help you?

I'm not able to connect to the Nautilus

Did you try closing and reopening the terminal?

Yes. It didn't work.

Today 09:32

Reboot your system and try again

Send

What's HPC?

Data, Data, Everywhere

- Key Statistics 2023
 - **3.5 quintillion bytes of data is created every single day** (Source: Earthweb)
 - 333.2 billion emails are sent per day
 - 100 billion messages are sent through WhatsApp in a day
 - 5 billion Snapchat videos and photos are shared per day
 - 456,000 tweets are made on Twitter each minute of the day
 - 500 million daily story users on Instagram every day
 - People spend \$1 million per minute online




Data, data
everywhere,
but not a byte
to use.



There are only 10 types
of people in the world:
Those who understand binary
and those who don't.

Data, Data, Everywhere



Tencent ML Images



Tencent AI has now released the largest open-source, multi-label image dataset – **Tencent ML Images**. It contains nearly 18 million images, multi-labeled with up to 11,166 categories.

 Neurohive.io
<https://neurohive.io/en/datasets/tencent-dataset/>


Tencent Released The Largest Multi-Labelled Image Dataset - neur...

We propose **EAGLE**, a large-scale dataset of ~1.1 million 2D meshes resulting from simulations of unsteady fluid dynamics caused by a moving flow source interacting with nonlinear scene structure, comprised of 600 different scenes of three different types.

<https://eagle-dataset.github.io/>
EAGLE Dataset



Data, data
everywhere,
but not a byte
to use.



There are only 10 types
of people in the world:
Those who understand binary
and those who don't.

What to do with this data?

- It is through data that
 - groundbreaking scientific discoveries are made,
 - game-changing innovations are fueled, and
 - quality of life is improved for billions of people around the globe.
- But we need huge computing power/resources to analyze this humongous data
- **HPC** gives us the power to deal with this data



What is High Performance Computing (HPC)?

- HPC is the ability to process data and perform complex calculations at high speeds
- Laptop/desktop (3 GHz processor) can perform around 3 billion calculations/sec
- HPC solutions can perform quadrillions of calculations/sec (million times faster)
- **HPC** is the foundation for scientific, industrial, and societal advancements

What is High Performance Computing (HPC)?

- Best-known types of HPC solutions is the **Supercomputer**
- It is made up of thousands of computers that work together
- Fastest Supercomputer is the US-based Frontier, with a processing speed of **1.102 exaflops, or quintillion floating point operations per second (flops)**
- HPC solutions can be deployed on-premise, at the edge, or even in the cloud



Top 500

Rank	System	Cores	Rmax (PFlop/s)	Rpeak (PFlop/s)	Power (kW)
1	Frontier - HPE Cray EX235a, AMD Optimized 3rd Generation EPYC 64C 2GHz, AMD Instinct MI250X, Slingshot-11, HPE DOE/SC/Oak Ridge National Laboratory United States	8,699,904	1,194.00	1,679.82	22,703
2	Supercomputer Fugaku - Supercomputer Fugaku, A64FX 48C 2.2GHz, Tofu interconnect D, Fujitsu RIKEN Center for Computational Science Japan	7,630,848	442.01	537.21	29,899
3	LUMI - HPE Cray EX235a, AMD Optimized 3rd Generation EPYC 64C 2GHz, AMD Instinct MI250X, Slingshot-11, HPE EuroHPC/CSC Finland	2,220,288	309.10	428.70	6,016
4	Leonardo - BullSequana XH2000, Xeon Platinum 8358 32C 2.6GHz, NVIDIA A100 SXM4 64 GB, Quad-rail NVIDIA HDR100 Infiniband, Atos EuroHPC/CINECA Italy	1,824,768	238.70	304.47	7,404
5	Summit - IBM Power System AC922, IBM POWER9 22C 3.07GHz, NVIDIA Volta GV100, Dual-rail Mellanox EDR Infiniband, IBM DOE/SC/Oak Ridge National Laboratory United States	2,414,592	148.60	200.79	10,096

How does HPC work?

- A standard computing system solves problems primarily using **serial computing**
- It divides the workload into a sequence of tasks, and then executes the tasks one after the other on the same processor
- In contrast, HPC leverages
 - **Massively parallel computing**
 - **Compute clusters (also called HPC clusters)**
 - **High-performance components**

How does HPC work?

- **Massively parallel computing**
 - Parallel computing using tens of thousands to millions of cores
- **Compute clusters/HPC clusters**
 - Consists of multiple high-speed computer servers networked together
 - The computers, called nodes, use either high-performance multi-core CPUs or, more likely today, GPUs (graphical processing units)
 - Well suited for rigorous computations and graphics-intensive tasks
- **High-performance components**
 - Other computing resources in an HPC cluster - networking, memory, storage and file systems - are **high-speed, high-throughput** and **low-latency** components that can keep pace with the nodes and optimize the computing power and performance of the cluster

HPC: Use cases

- **AI and ML**
 - HPC supports training deep neural networks, processing large datasets, and accelerating machine learning algorithms
- **Weather and Climate Modelling**
 - HPC is used to run complex atmospheric models, simulate weather patterns, and predict climate change phenomena
- **Engineering and Design Optimization**
 - HPC is employed to optimize engineering designs, analyze structural integrity, simulate fluid dynamics, and enhance product performance
- **Astrophysics and Cosmology**
 - HPC facilitates large-scale simulations of the universe, including galaxy formation, stellar evolution, and gravitational wave analysis

HPC: Use cases

- **Drug Discovery and Molecular Dynamics**
 - HPC enables the simulation of drug interactions, protein folding, and molecular dynamics, aiding in the development of new pharmaceuticals.
- **Financial Modeling and Risk Analysis**
 - HPC helps in analyzing complex financial models, running Monte Carlo simulations, and assessing investment risks.
- And many more...



Introducing Nautilus



Nautilus Cluster

- **Nautilus** is the fictional submarine belonging to [Captain Nemo](#) featured in [Jules Verne's](#) novels [Twenty Thousand Leagues Under the Seas](#) (1870) and [The Mysterious Island](#) (1874).
- Verne took the name "Nautilus" from one of the [earliest successful submarines](#), built in 1800 by [Robert Fulton](#), who also invented the first commercially successful [steamboat](#).




Nautilus Architecture

- Nautilus has 3 main components:
 - Set of nodes communicating with each other
 - Fast interconnect using Infiniband 100 Gb/s technology with high bandwidth and low latency
 - Shared Storage (scratch) 427 TB (IBM/Spectrum Scale- GPFS)



Nautilus Architecture

- Each node consists
 - Red Hat Operating System (RHEL 8.7)
 - 2 AMD EPYC 9474F processors @3.6GHz (4.1GHz Max) with 48 CPU cores
 - TDP (Thermal Design Power)/Power Consumption: 360W
 - 384 GB RAM



Nautilus Architecture

#Computing nodes	Processor and Speed	RAM	#Cores
40 cnode[301-340]	BullSequana X440 (2 AMD EPYC 9474@3.6GHz 48c)	384 GB	3840
8 cnode[701-708]	BullSequana X440 (2 AMD EPYC 9474@3.6GHz 48c)	768 GB	768
4 visu[1-4]	BullSequana X450 (2 AMD EPYC 9474@3.6GHz 48c) with Nvidia A40 (48G) 2 GPUs per node	768 GB	384
4 gnode[1-4]	4 BullSequana X410 (2 AMD EPYC 9474@3.6GHz 48c) with Nvidia A100 (80G) 4 GPUs per node	768 GB	384

Working With A Supercomputer

Working With A Supercomputer


Is NOT like this...



Working With A Supercomputer



Working With A Supercomputer



Working With A Supercomputer



Login node(s)

- Editing and transferring files
- Compile programs
- Prepare simulations



Compute nodes

- Multicore nodes
- Large memories
- High-speed interconnections



Batch scheduler

- Resource allocation
- Job queueing
- Accounting and



File system


- Parallel FS
- Efficient I/O
- Node local disks

Getting Started with GLiCID


Prerequisites

- macOS
 - Terminal (pre-installed)
- Windows
 - MobaXterm
 - PowerShell
- Linux
 - You are already well equipped :)

LINUX COMMAND LINE




Linux Command Line - Brief History




- One of the earliest operating systems was called **Unix**
- Designed to run as a multi-user system on **mainframe computers**
- Users connecting to it remotely via individual terminals
- Terminals were pretty basic: just a keyboard and screen
- Send keystrokes to the server and display any data they received on the screen
- **No mouse, no fancy graphics, not even any choice of colour**
- **Everything was sent as text, and received as text**
- Programs that ran on the mainframe had to produce text as an output and accept text as an input

Linux Command Line - Brief History



IBM Mainframe, Late 1960's/Early 1970's

Linux Command Line - Brief History



- **Linux** is a sort-of-descendant of Unix
- The core part of Linux is designed to behave similarly to a Unix system
- Most of the old shells and other text-based programs run on it quite happily
- Most of the [Top 500](#) supercomputers use Linux

What's A Command Line?





- The Linux command line is a text interface to your computer
- Often referred to as **shell, terminal, console, prompt** or various other names
- It can give the appearance of being complex and confusing to use
- But it is not so scary as it looks
- You just need to memorize a few basic commands



Basic Linux Commands


- Launch the Terminal






Basic Linux Commands

- Structure of a linux commands




- The system is ready to accept commands



Basic Linux Commands

- Structure of a linux commands (in Nautilus)

```
[jmir@ec-nantes.fr@nautilus-devel-001 ~]$
```




- The system is ready to accept commands

Basic Linux Commands



Command	Syntax	Description
Print Working Directory	<code>pwd</code>	Print present working directory
List	<code>ls</code>	List files and directories at path
Change directory	<code>cd</code>	Change current directory
Make directory	<code>mkdir</code>	Create new directory
Create empty file	<code>touch</code>	Create new file or update timestamp
Move	<code>mv</code>	Move or rename files and directories
Copy	<code>cp</code>	Copy files or directories from source to destination
Remove	<code>rm</code>	Remove files
Text editor	<code>vim</code>	Vim is a highly configurable text editor


Basic Linux Commands



Command	Syntax	Description
Print Working Directory	<code>pwd</code>	Print present working directory

```
jmir@pc-ici02: ~  
jmir@pc-ici02:~$ pwd  
/home/jmir  
jmir@pc-ici02:~$
```


Basic Linux Commands



Command	Syntax	Description
List	<code>ls</code>	List files and directories at path

```
jmir@pc-ici02: ~$ ls
access-token.txt  git_repo      Templates
anaconda3         inventory.yaml teskey.txt
cv_debug.log      Music         test2.txt
Desktop          nautilus-tutorial testdir
Documents        Pictures      testscript.sh
Downloads        playbook.yaml test.txt
ghh              Public       ust4hpc
ghh.pub          snap         Videos
jmir@pc-ici02: ~$
```



Basic Linux Commands



Command	Syntax	Description
Change directory	<code>cd</code>	Change current directory

```
jmir@pc-ici02: ~/nautilus-tutorial
jmir@pc-ici02:~$ cd nautilus-tutorial/
jmir@pc-ici02:~/nautilus-tutorial$
```


Basic Linux Commands



Command	Syntax	Description
Make directory	<code>mkdir</code>	Create new directory

```
jmir@pc-ici02: ~/nautilus-tutorial
jmir@pc-ici02:~/nautilus-tutorial$ ls
cheat-sheet
jmir@pc-ici02:~/nautilus-tutorial$ mkdir test-dir
jmir@pc-ici02:~/nautilus-tutorial$ ls
cheat-sheet  test-dir
jmir@pc-ici02:~/nautilus-tutorial$
```


Basic Linux Commands



Command	Syntax	Description
Create empty file	<code>touch</code>	Create new file or update timestamp

```
jmir@pc-ici02: ~/nautilus-tutorial
jmir@pc-ici02:~/nautilus-tutorial$ touch test-file
jmir@pc-ici02:~/nautilus-tutorial$ ls
cheat-sheet test-dir test-file
jmir@pc-ici02:~/nautilus-tutorial$
```

Basic Linux Commands



Command	Syntax	Description
Move	<code>mv</code>	Move or rename files and directories

```
jmir@pc-ici02: ~/nautilus-tutorial/cheat-sheet
jmir@pc-ici02:~/nautilus-tutorial$ ls
cheat-sheet  test-dir
jmir@pc-ici02:~/nautilus-tutorial$ mv test-dir/ cheat-sheet/
jmir@pc-ici02:~/nautilus-tutorial$ ls
cheat-sheet
jmir@pc-ici02:~/nautilus-tutorial$ cd cheat-sheet/
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$ ls
test-dir  test-file
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$
```


Basic Linux Commands



Command	Syntax	Description
copy	<code>cp</code>	Copy files or directories from source to destination

```
jmir@pc-ici02: ~/nautilus-tutorial/cheat-sheet
jmir@pc-ici02:~/nautilus-tutorial$ ls
cheat-sheet  test-file
jmir@pc-ici02:~/nautilus-tutorial$ cp test-file cheat-sheet/
jmir@pc-ici02:~/nautilus-tutorial$ cd cheat-sheet/
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$ ls
test-dir  test-file
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$
```

Basic Linux Commands



Command	Syntax	Description
Remove	<code>rm</code>	Remove files

```
jmir@pc-ici02: ~/nautilus-tutorial/cheat-sheet
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$ ls
test-dir  test-file
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$ rm test-file
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$ ls
test-dir
jmir@pc-ici02:~/nautilus-tutorial/cheat-sheet$
```

Basic Linux Commands




Command	Syntax	Description
Text editor	vim	Vim is a highly configurable text editor

```
Jmir@pc-ic102: ~/nautlius-tutorial
#!/bin/bash
mkdir new-dir && cd new-dir
echo "Ciao"


~

:wq!
```


Basic Linux Commands



Command	Syntax	Description
Linux editor	<code>vim</code>	Vim is a highly configurable text editor



Basic Linux Commands




Command	Syntax	Description
Text editor	nano	Comparatively easier (Ctrl+Option)

```
jmlr@pc-ic102: ~/nautilus-tutorial
GNU nano 6.2 test_script.sh
#!/bin/bash
mkdir new-dir && cd new-dir
echo "Ciao"
```

[Read 4 lines]

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^_ Go To Line M-E Redo

Basic Linux Commands



Command	Syntax	Description
User Manual	<code>man</code>	Displays whole manual of the command

```
jmir@pc-ici02: ~/nautilus-tutorial
jmir@pc-ici02:~/nautilus-tutorial$ man ls

LS(1)                                User Commands                                LS(1)

NAME
  ls - list directory contents

SYNOPSIS
  ls [OPTION]... [FILE]...

DESCRIPTION
  List information about the FILES (the current directory by default).
  Sort entries alphabetically if none of -cftuvSUX nor --sort is speci-
  fied.

  Mandatory arguments to long options are mandatory for short options too.


  -a, --all
      do not ignore entries starting with .

  -A, --almost-all
      do not list implied . and ..

  --author
      with -l, print the author of each file

Manual page ls(1) line 1 (press h for help or q to quit)
```

Basic Linux Commands - File Management




Path to folders and files

- Relative Path

```
jmir@pc-ici02: ~/nautilus-tutorial/test-dir
jmir@pc-ici02:~/nautilus-tutorial$ cd test-dir/
jmir@pc-ici02:~/nautilus-tutorial/test-dir$
```

- Absolute path

```
jmir@pc-ici02: ~/nautilus-tutorial/test-dir
jmir@pc-ici02:~/nautilus-tutorial$ cd ~/nautilus-tutorial/test-dir/
jmir@pc-ici02:~/nautilus-tutorial/test-dir$
```



Basic Linux Commands - File Management

- Local to Remote

```
scp <file_name> nautilus:/scratch/users/<username>
```

```
jmir@pc-ici02: ~/nautilus-tutorial
jmir@pc-ici02:~/nautilus-tutorial$ scp filename.txt nautilus:/scratch/users/jmir@ec-nantes.fr/
```


- Remote to Local

```
scp nautilus:/scratch/users/<username>/<file_name> /<local_path>
```

```
jmir@pc-ici02: ~/nautilus-tutorial
jmir@pc-ici02:~/nautilus-tutorial$ scp nautilus:/scratch/users/jmir@ec-nantes.fr/filename /home/jmir
```


Not recommended: `scp <file_name> nautilus:/home/<username>`

Basic Linux Commands - Bash Scripting



- What if we want to run many bash commands?
- ... maybe in a workflow???
- Important part of process automation in Linux
- Plain text file that contains a series of commands
- Any command you run on the command line can be put in a script and vice-versa
- Executed like a program

Basic Linux Commands - Bash Scripting




- Simple bash script

```
#!/bin/bash  
mkdir test-dir && cd test-dir  
echo "Ciao"
```

- Save as `test_script.sh`
- To execute `./test_script.sh`


File Permissions




`chmod u+x <filename>`

```
jmir@pc-ici02: ~/nautilus-tutorial
jmir@pc-ici02:~/nautilus-tutorial$ touch test_script.sh
jmir@pc-ici02:~/nautilus-tutorial$ vi test_script.sh
jmir@pc-ici02:~/nautilus-tutorial$ ./test_script.sh
bash: ./test_script.sh: Permission denied
jmir@pc-ici02:~/nautilus-tutorial$ chmod u+x test_script.sh
jmir@pc-ici02:~/nautilus-tutorial$ ./test_script.sh
Ciao
jmir@pc-ici02:~/nautilus-tutorial$ ls
cheat-sheet new-dir python pytorch_geometric test-dir test_script.sh
jmir@pc-ici02:~/nautilus-tutorial$
```

SSH CONNECTIONS



What is SSH Key?



- SSH is a secure shell (terminal) connection to another computer
- You connect from your computer to the LOGIN NODE
- Security is given by public/private keys
- A connection to the supercomputer needs a
 - Key,
 - Configuration,
 - Key/IP address known to the supercomputer



ENCRYPTED COMMUNICATION

How to access GLiCID cluster?

- Create an account on <https://clam.glicid.fr>
- Account validation by an administrator
- User uploads SSH key to CLAM portal (in profile's SSH Access tab)
- SSH connection configuration on local PC



How to configure SSH connection?



- Generate SSH key and copy the public key (`id_ed25519.pub`)

```
jmir@pc-ici02:~$ ssh-keygen -t ed25519
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/jmir/.ssh/id_ed25519): y
```

```
jmir@pc-ici02:~/.ssh$ cat id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAID7Tm0MUiYv62VbE/uyk1Gcan9Wfu1IEsg7sBX8
R6Fjw junaid.mir@ec-nanes.fr
jmir@pc-ici02:~/.ssh$
```

How to configure SSH connection?



- Upload this SSH key to the CLAM

The screenshot shows the GLICID Cluster Account Manager interface. The user is Junaid Mir (Junaid.Mir@ec-nantes.fr). The account is activated. The user is currently in the 'Profile' tab, with 'SSH Access' and 'Preferences' also available. Under the 'SSH-Keys' section, there is a text area containing an SSH key. Below the text area is an 'Upload' button. Under the 'SSH Configuration' section, there is a text area with instructions on how to use the SSH key to login to GLICID. At the bottom, there is a code block showing the SSH configuration for a host named 'Bastion'.

```
ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAQGC3Dp8oVQrXQ9xnY6QZE01Vu26+Wv2ZbdLOkMIM8qsGyG
snjwNY62l9jU4j3xcAN5ZISVL12GtZpmstx4hzroky1fDKRRWsgLix1Du4LtnBi00+iDDghJb1nBvDYAL
w6zpbssa3KiwdogHdzWjV5ailP5zrg9iXtw3m4xOC/CzLUwqeVCMosk9IG2+jf6k1BkmBPKhwtWaAli/
v63oNde/QuWaqLpxQsihk15R0r1mOUlwW8lke5/OblYxyGqOx49FzV+2YLHVqH2uzZl1MXOpZz
KIAT7HzDKdeE6vrFyuc3d/ud7bk+j6eKbq6aWwAdO5T7J3ZA/0tS07+G8nhJr2szn1EL7AdQXR/y8
+SPQWBoXdq1qmqz2XcLY50m6649Xt3FtdShiqlmeVCLYqyDhVCol65k1C9xmiadOkOp355e6254v
KwAdFiv4UOEJXw4/jyEUJ5xWTeGbXbotCDW+LgZTERA4s+uNAFdzGf1RH2OqoG2jGLs9PbyGp9E=
jmir@pc-ici02
ssh-rsa
```

Useful links

Contact us by mail

Talk with the community

```
1 Host Bastion
2 Hostname bastion.glicid.fr
3 User jmir@ec-nantes.fr
4 IdentityFile ~/.ssh/SSH_KEY_GLICID
```

CLAM - V1.0.0
CHANGELOG

How to configure SSH connection?



- Copy Contents to the **config file** and save it
- Replace **<my_username>** with your username

```
jmir@pc-ici02:~/.ssh$ cat config
Host Bastion
    Hostname bastion.glicid.fr
    User jmir@ec-nantes.fr
    IdentityFile ~/.ssh/id_ed25519
    ForwardAgent yes

Host glicid
    Hostname login-001.glicid.fr
    User jmir@ec-nantes.fr
    ProxyJump Bastion
    IdentityFile ~/.ssh/id_ed25519

Host nautilus
    Hostname nautilus-devel-001.nautilus.intra.glicid.fr
    User jmir@ec-nantes.fr
    ProxyJump glicid
    IdentityFile ~/.ssh/id_ed25519
```

SSH to GLiCID Cluster



- Login using SSH by typing this command in the terminal
 - `ssh glicid` and then press `<Enter>`

```
jmir@pc-ici02:~/.ssh$ ssh glicid
The authenticity of host 'bastion.glicid.fr (194.167.60.10)' can't be established.
ED25519 key fingerprint is SHA256:0Szy+0r30Rkizt8TXqKeLqD4qRn8Xq+0YmEE4EsfqrU.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'bastion.glicid.fr' (ED25519) to the list of known hosts.
The authenticity of host 'login-001.glicid.fr (<no hostip for proxy command>)' can't be established.
ED25519 key fingerprint is SHA256:0Szy+0r30Rkizt8TXqKeLqD4qRn8Xq+0YmEE4EsfqrU.
This host key is known by the following other names/addresses:
  ~/.ssh/known_hosts:1: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'login-001.glicid.fr' (ED25519) to the list of known hosts.
Last login: Wed Nov 29 14:07:00 2023 from 194.167.60.12
jmir@ec-nantes.fr@guix-devel-001 ~$ ls
env.yml KEYS ml-container test-containers TP_ContainerWorkshop wget-log wget-log.1
jmir@ec-nantes.fr@guix-devel-001 ~$
```


SSH to GLiCID Cluster



- Switch from glicid to nautilus
 - `ssh nautilus-devel-001` and then press `<Enter>`
 - It will not work but ask for a password

```
jmir@ec-nantes.fr@guix-devel-001 ~$ ssh nautilus-devel-001
#####
#   This service is restricted to authorized users only. All   #
#   activities on this system are logged.                       #
#   Unauthorized access will be fully investigated and reported #
#   to the appropriate law enforcement agencies.               #
#####
jmir@ec-nantes.fr@nautilus-devel-001's password: █
```


SSH to GLiCID Cluster




- Switch from glicid to nautilus
 - To switch to nautilus, set-up `authorized_keys`
 - `cd ~/.ssh` after logging in to glicid
 - Either generate a new key or copy the private key `id_ed2259` (which is not a good idea)

```
jmir@ec-nantes.fr@guix-devel-001 ~/.ssh$ ssh-keygen -t ed25519
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/jmir@ec-nantes.fr/.ssh/id_ed25519):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/jmir@ec-nantes.fr/.ssh/id_ed25519
Your public key has been saved in /home/jmir@ec-nantes.fr/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:7bx0Ee+80Lh9ykh3/5DGxRPzPXa5DkJqQodBSU6/L0 jmir@ec-nantes.fr@guix-devel-001.waves.intra.glicid.f
r
The key's randomart image is:
+--[ED25519 256]--+
|
|   ooo  oo|
|  . .  .|=|
| + . .  0 .|=|
| +.oo . *+|
| .Sooo. o+o|
| .o.B.  o.|
| .XE+ . o |
| + 0 o.o |
| . = *+o.o|
+----[SHA256]-----+
jmir@ec-nantes.fr@guix-devel-001 ~/.ssh$ ls
id_ed25519 id_ed25519.pub known_hosts known_hosts.old
jmir@ec-nantes.fr@guix-devel-001 ~/.ssh$ cat id_ed25519.pub > authorized_keys
jmir@ec-nantes.fr@guix-devel-001 ~/.ssh$ ls
authorized_keys id_ed25519 id_ed25519.pub known_hosts known_hosts.old
jmir@ec-nantes.fr@guix-devel-001 ~/.ssh$ ssh nautilus-devel-001
```


SSH configuration on Windows



- On Windows
 - Use MobaXTerm
 - Install MobaXterm (Free version) <https://mobaxterm.mobatek.net/download.html>





SSH configuration on Windows

- Open Windows PowerShell
 - Run `ssh-keygen` (Preferably use `ed_25519`)
 - Save it in `C:\Users\username\.ssh\id_rsa` (normally it will be automatic)
 - Don't enter any passwords - just press enter (easier)
 - You'll find two files
 - `id_rsa.pub` and `id_rsa.ppk`
 - Create an account on <https://glicid.clam.fr> and upload the public key(`id_rsa.pub`) (remove spaces if any)(be careful, don't delete anything by mistake)



SSH configuration on Windows

- Open MobaXterm
- On SSH, configure
 - Remote-host: `login-001.glicid.fr`
 - Username: `jmir@ec-nantes.fr` (DON'T USE MINE)
 - Port: 22 (automatic)
 - Click **Advanced SSH settings**
 - Use private key (upload your private key)(`id_rsa.pkk`)
 - Go to **Network Settings** -> **SSH gateway** (jump host)
 - Gateway host: `bastion.glicid.fr`
 - Username: `jmir@ec-nantes.fr` (DON'T USE MINE)
 - Port:22
 - Use SSH key -> upload private key (`id_rsa.pkk`)
 - **Click OKAY**
 - **Click OKAY** in Session Settings
 - Double click OR right click and execute a session
 - You'll be logged in.
 - To exit -> Either write exit in the terminal and press enter or click on the exit option.
- Be careful: Everything is case-sensitive and don't use MobaXterm for key generation



SSH configuration on Windows

- Open PowerShell


ssh-keygen

```
Windows PowerShell
PS C:\Users\jmir> ssh-keygen
Generating public/private rsa key pair.
Enter file in which to save the key (C:\Users\jmir\.ssh/id_rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in C:\Users\jmir\.ssh/id_rsa.
Your public key has been saved in C:\Users\jmir\.ssh/id_rsa.pub.
The key fingerprint is:
SHA256:n1QjWA5dcWpn0jhfrd1r1WA/7x43iuEx/S3/4WdsDE jmir@pc-gem09
The key's randomart image is:
+---[RSA 3072]-----+
|
|  .+o..
| + o .
| = o +
| oSo..+Eo .
| oo+o.+BBo
| .o.o*.B
| .ooo+
| .o++B
+----[SHA256]-----+
PS C:\Users\jmir>
```



SSH configuration on Windows


- Keys generated
 - Private key
 - Public key





SSH configuration on Windows


- Open a session
- Configure SSH





SSH configuration on Windows


- Advanced SSH
 - Upload id_rsa



SSH configuration on Windows




- SSH Gateway





SSH configuration on Windows


- SSH Gateway
 - Upload id_rsa



SSH configuration on Windows



- Execute Session





SSH configuration on Windows

- Here you go...

The screenshot shows the MobaXterm interface. On the left, a file explorer displays the directory structure of the user's home folder. The main terminal window shows the output of an SSH session to a remote host.

```
login-001-glicid.fr (jmir@ec-nantes.fr)
Terminal Sessions View X server Tools Games Settings Macros Help
Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help
Quick connect...
/home/jmir@ec-nantes.fr/
Name Size (KB) Last modified
..
.cache 2023-09
.conda 2023-09
.config 2023-09
.local 2023-09
.mamba 2023-09
.slurm 2023-08
.ssh 2023-09
data 2023-09
test-containers 2023-07
test-containers-win 2023-09
testdir 2023-09
.bash_history 11 2023-09
.bashrc 1 2023-09
.condarc 1 2023-09
.guix-profile 1 2023-08
.jmir-gitlab 1 2023-09
.lessht 1 2023-09
.profile 1 2023-09
.python_history 1 2023-09
.viminfo 20 2023-09
.gitignore 1 2023-09
Remote monitoring
Follow terminal folder
UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net
```

```
• MobaXterm Personal Edition v23.2 •
(SSH client, X server and network tools)
▶ SSH session to jmir@ec-nantes.fr@login-001.glicid.fr
• SSH gateway : ✓ (jmir@ec-nantes.fr@bastion.glicid.fr)
• SSH compression : ✓
• SSH-browser : ✓
• X11-forwarding : ✓ (remote display is forwarded through SSH)
▶ For more info, ctrl+click on help or visit our website.

Last login: Tue Sep 26 15:26:30 2023 from 10.50.255.250
jmir@ec-nantes.fr@guix-devel-001 ~$
```



WINDOWS: File Management

- File Management
 - Just drag and drop
 - Or using upload option
 - Inside the terminal, it's Unix
 - So if you didn't pay interest in the command line session :(


Get Your Hands Dirty




SLURM Workload Manager



You submit jobs




But you don't use the whole Supercomputer



Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node
Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node	Compute node

There are many more users




Enter the queue, and wait

- Your job(s) enter the queue, and wait for its turn
- When there are enough resources for that job, it runs



Results



This it how it works

- User submits jobs
 - Job enters the queue
 - When it can, it runs
 - Sends results back to user
-
- CAUTION
 - Login nodes are for submitting jobs, move files, compile, etc
 - NOT FOR TRAINING NEURAL NETS


Who will manage this workload?

- Need software that will distribute the jobs appropriately and manage the resources
- Keeps track of what nodes are busy/available, and what jobs are queued or running
- Tells the resource manager when to run which job on the available resources



SLURM - Workload Manager

- **Simple Linux Utility for Resource Management (SLURM)**
- Open source, fault-tolerant, and highly scalable cluster management and job scheduling system for large and small Linux clusters
- It has centralized manager, **slurmctld**, to monitor resources and work
- Each compute node has a **slurmd daemon**, which can be compared to a remote shell: it waits for work, executes that work, returns status, and waits for more work.



Basic Slurm Commands




Command	Syntax	Description
<code>sbatch</code>	<code>sbatch <job_id></code>	To submit job script for later execution (batch mode)
<code>sinfo</code>	<code>sinfo</code>	Get information about available nodes
<code>squeue</code>	<code>squeue -u</code>	Show information about jobs
<code>scancel</code>	<code>scancel <job-id></code>	To terminate queued or running jobs
<code>srun</code>	<code>srun</code> <code><resource-parameters></code>	To run jobs interactively
<code>sacct</code>	<code>sacct</code>	Show information about current and previous jobs

Basic Slurm Commands

- To submit a job

```
sbatch job.slurm
```



```
jmir@ec-nantes.fr@nautilus-devel-001/scratch/users/jmir@ec-nantes.fr/nautilus-tutorial
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$ ls
cuda-script.sh job.slurm numpy-arrays.py pytjob.sh pytorch-tensors.py script.py submit.sh
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$ sbatch job.slurm
Submitted batch job 125254 on cluster waves
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$
```

Basic Slurm Commands

- Get information about available nodes

`sinfo`

```

[jmir@ec-nantes.fr@nautilus-devel-001: ~]$ sinfo
CLUSTER: nautilus
PARTITION AVAIL  TIMELIMIT  NODES  STATE NODELIST
standard up    infinite   1  inval cnode339
standard up    infinite   2  down* cnode[323,329]
standard up    infinite  10  drain cnode[302-308,337-338,340]
standard up    infinite   1  mix   cnode310
standard up    infinite   2  alloc cnode[301,309]
standard up    infinite  22  idle  cnode[312-322,325-328,330-336]
standard up    infinite   2  down  cnode[311,324]
bigmem up    infinite   2  drain cnode[703-704]
bigmem up    infinite   3  alloc cnode[701-702,706]
bigmem up    infinite   3  idle  cnode[705,707-708]
gpu up    infinite   4  mix   gnode[1-4]
visu up    infinite   1  alloc visu1
visu up    infinite   3  idle  visu[2-4]
all* up    infinite   1  inval cnode339
all* up    infinite   2  down* cnode[323,329]
all* up    infinite  12  drain cnode[302-308,337-338,340,703-704]
all* up    infinite   5  mix   cnode310,gnode[1-4]
all* up    infinite   6  alloc cnode[301,309,701-702,706],visu1
all* up    infinite  28  idle  cnode[312-322,325-328,330-336,705,707-708],visu[2-4]
all* up    infinite   2  down  cnode[311,324]

CLUSTER: waves
PARTITION AVAIL  TIMELIMIT  NODES  STATE NODELIST
all* up    9:00:00   1  unk*  budbud018
all* up    9:00:00   1  mix   budbud020
all* up    9:00:00   7  idle  budbud[014-017,019,021-022]
med up    4-04:00:00  1  mix   budbud020
med up    4-04:00:00  2  idle  budbud[021-022]
devel up    20:00     1  unk*  vmworker-001
[jmir@ec-nantes.fr@nautilus-devel-001: ~]$

```

Basic Slurm Commands

- To check Priority and MaxWall Time


```
sacctmgr show qos format="name%20,priority,MaxJobsPerUser,MaxWall"
```

```
jmir@ec-nantes.fr@nautilus-devel-001:scratch/users/jmir@ec-nantes.fr/nautilus-tutorial
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$ sacctmgr show qos format="name%20,priority,MaxJobsPerUser,MaxWall"
-----
Name      Priority MaxJobsPU  MaxWall
-----
normal    1         1          00:05:00
short     50        1          1-00:00:00
medium    40        1          3-00:00:00
long      30        1          8-00:00:00
unlimited  10        1          00:00:00
debug     100       1          00:20:00
priority  200       1          8-00:00:00
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$
```

Basic Slurm Commands

- Submit your slurm script

```
sbatch -M nautilus -p standard -qos=short <script-name>.slurm
```



```
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$ ls
myscript.slurm  python test
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$ sbatch -M nautilus -qos=short myscript.slurm
Submitted batch job 437079 on cluster nautilus
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$ ls
myscript.slurm  python test  slurm-437079.out  test_dir
[jmir@ec-nantes.fr@nautilus-devel-001 nautilus-tutorial]$
```

Slurm - Batch Script



Sample script to run python code using conda environment

```
#!/bin/bash
#SBATCH --job-name=myjob          # create a short name for your job
#SBATCH --nodes=1                 # node count
#SBATCH --ntasks=1               # total number of tasks across all nodes
#SBATCH --cpus-per-task=1        # cpu-cores per task
#SBATCH --mem-per-cpu=2G         # memory per cpu-core
#SBATCH --gres=gpu:4             # number of gpus per node
#SBATCH --time=00:05:00         # total run time limit (HH:MM:SS)

cd /scratch/user/<username>      # go to your working directory / optional

hostname

python myscript.py
```

Software Modules

Software Modules

- Modules
 - Lot of useful software packages
 - Different versions
 - Maintained by experts
 - Optimized for the architecture
 - Users cannot install a module
 - Have to request the administrator

How to use Modules?

- Useful commands

Command	Description
<code>module avail</code>	List modules
<code>module avail <package_name></code>	List all installed versions of python
<code>module load <package_name></code>	Load the default python version
<code>module load <package_name/3.11.5></code>	Load a specific version of python
<code>module unload <package_name></code>	Unload python
<code>module list</code>	List currently loaded modules

How to use Modules?

\$module avail

```
jmir@ec-nantes.fr@nautilus-devel-001:~$ module avail
----- /usr/share/Modules/modulefiles/applications -----
castem/2021 castem/2023 gaussian/g16-revA01 hyperworks/2022.2 lammps/15Jun2023 turbomole/7.41
----- /usr/share/Modules/modulefiles/libraries -----
aocl-blis/4.0 intel/ccl/2021.9.0 intel/dpl/latest intel/mkl32/2023.1.0
boost/1.82.0_gnu intel/ccl/latest intel/intel_ipp_ia32/2021.8.0 intel/mkl32/latest
cuda/12.2.0_535.54.03 intel/dnnl-cpu-gomp/2023.1.0 intel/intel_ipp_ia32/latest intel/tbb/2021.9.0
fftw/3.3.10_intel_serial intel/dnnl-cpu-gomp/latest intel/intel_ipp_intel64/2021.8.0 intel/tbb/latest
fftw/3.3.10_intel_serial_sp intel/dnnl-cpu-iomp/2023.1.0 intel/intel_ipp_intel64/latest intel/tbb32/2021.9.0
fftw/intelmpi/3.3.10_intel_intelmpi intel/dnnl-cpu-iomp/latest intel/intel_ippcp_ia32/2021.7.0 intel/tbb32/latest
fftw/omp/3.3.10_intel_omp intel/dnnl-cpu-tbb/2023.1.0 intel/intel_ippcp_ia32/latest libtool/2.4.6_gnu
gmsl/4.11.1_gnu intel/dnnl-cpu-tbb/latest intel/intel_ippcp_intel64/2021.7.0 netcdf/c-4.9.2_gnu
hdf5/1.14.1-2_gnu intel/dnnl/2023.1.0 intel/intel_ippcp_intel64/latest netcdf/f-4.6.1_gnu
hdf5/1.14.1-2_intel intel/dnnl/latest intel/mkl/2023.1.0 rdma/46.0_gnu
hdf5/intelmpi/1.14.1-2_intel_intelmpi intel/dpl/2022.1.0 intel/mkl/latest ucx/1.14.1_gnu
----- /usr/share/Modules/modulefiles/compilers -----
amd/4.0.0 intel/compiler-rt/2023.1.0 intel/compiler-rt32/latest intel/compiler32/2023.1.0 intel/icc/latest
cmake/3.26.4 intel/compiler-rt/latest intel/compiler/2023.1.0 intel/compiler32/latest intel/icc32/2023.1.0
gcc/13.1.0 intel/compiler-rt32/2023.1.0 intel/compiler/latest intel/icc/2023.1.0 intel/icc32/latest
----- /usr/share/Modules/modulefiles/tools -----
guix/latest intel/clck/latest intel/debugger/latest intel/dpct/latest intel/inspector/latest intel/oclfga/latest
intel/advisor/2023.1.0 intel/dal/2023.1.0 intel/dev-utilities/2021.9.0 intel/init_opencl/2023.1.0 intel/itac/2021.9.0 intel/vtune/2023.1.0
intel/advisor/latest intel/dal/latest intel/dev-utilities/latest intel/init_opencl/latest intel/itac/latest intel/vtune/latest
intel/clck/2021.7.3 intel/debugger/2023.1.0 intel/dpct/2023.1.0 intel/inspector/2023.1.0 intel/oclfga/2023.1.0
----- /usr/share/Modules/modulefiles/parallel -----
intel/mpi/2021.9.0 intel/mpi/latest openmpi/ucx/4.1.5_gcc_8.5.0_ucx_1.14.1_rdma_46.0
jmir@ec-nantes.fr@nautilus-devel-001 ~$
```

Guix Package Manager



What is Guix?

- Package building system/Package manager
- Works on GNU/Linux
- Allows each user to manage his/her own packages
 - without root privilege
 - without interfering with other users
- Easy creation of isolated environments with designated packages
 - useful for per-project dependency management





Guix Package Manager

- Useful commands

Command	Description
<code>guix pull</code>	You need to run this at least once(maybe weekly :p)
<code>guix search <package_name></code>	Look for a package to install
<code>guix install <package_name></code>	To install a package
<code>guix remove <package_name></code>	To remove a package
<code>guix package -l</code>	List of installed packages

How to use Guix?

`$guix package -l`

```
[jmir@ec-nantes.fr@nautilus-devel-001 ~]$ guix package -l
Generation 1  août 01 2023 15:53:10
+ graphviz 7.0.1 out /gnu/store/8ljq5ipy0gs6w69rjigz11vf01zqzaxh-graphviz-7.0.1

Generation 2  sept. 07 2023 16:33:51
+ python 3.10.7 out /gnu/store/3hnmbi6yyn06w4xz7wpsw5nzb12l6xjv-python-3.10.7

Generation 3  sept. 20 2023 09:35:38
+ conda 22.9.0 out /gnu/store/gxrlqm3gggz3jwz79kw11125i3lhicb9-conda-22.9.0

Generation 4  sept. 20 2023 09:37:35
+ python-numpy 1.23.2 out /gnu/store/kz02cd8dcmryb2fk3ylniky2z333yi2-python-numpy-1.23.2

Generation 5  sept. 20 2023 10:10:55

Generation 6  sept. 20 2023 11:52:44
+ python-pandas 1.4.4 out /gnu/store/pg68s6204m0sf7g085qa937wvc6nf65m-python-pandas-1.4.4

Generation 7  sept. 20 2023 12:58:54
+ python-pytorch 1.13.1 out /gnu/store/icwxw62i5xpfdczv4sih0f58qw9ah89-python-pytorch-1.13.1

Generation 8  sept. 20 2023 15:25:47
+ python-numba 0.56.4 out /gnu/store/1lnsljkzdwsvpclgkg37kqr7qp0vg4i-python-numba-0.56.4

Generation 9  sept. 20 2023 16:20:15
+ python-torchvision 0.15.2 out /gnu/store/gjmf484aq6kw6gfd02474n1lfiw2wvix-python-torchvision-0.15.2

Generation 10  sept. 20 2023 16:32:05
+ python-pytorch-lightning 2.0.2 out /gnu/store/v2hvv552j2ywrhx6vs8cyj51ldhx2hd-python-pytorch-lightning-2.0.2

Generation 11  sept. 22 2023 09:48:01 (current)
+ conda 22.9.0 out /gnu/store/vf3j4n995jk9zh8yzbvm0mmwajdq71fx-conda-22.9.0
- conda 22.9.0 out /gnu/store/gxrlqm3gggz3jwz79kw11125i3lhicb9-conda-22.9.0

[jmir@ec-nantes.fr@nautilus-devel-001 ~]$
```

Data Management

Data management

- HOME (Personal Space/But don't train your neural network here)
- SCRATCH (Train it here)
 - HDD
 - SDD
- LAB-DATA
 - Users
 - Projects

```
jmir@ec-nantes.fr@nautilus-devel-001:/LAB-DATA/GLiCID/projects
[jmir@ec-nantes.fr@nautilus-devel-001 ~]$ pwd
/home/jmir@ec-nantes.fr
[jmir@ec-nantes.fr@nautilus-devel-001 ~]$ cd /scratch/users/jmir@ec-nantes.fr/
[jmir@ec-nantes.fr@nautilus-devel-001 jmir@ec-nantes.fr]$ pwd
/scratch/users/jmir@ec-nantes.fr
[jmir@ec-nantes.fr@nautilus-devel-001 jmir@ec-nantes.fr]$
[jmir@ec-nantes.fr@nautilus-devel-001 jmir@ec-nantes.fr]$ cd
[jmir@ec-nantes.fr@nautilus-devel-001 ~]$ cd /LAB-DATA/
[jmir@ec-nantes.fr@nautilus-devel-001 LAB-DATA]$ ls
BiRD CEISAM GLiCID LS2N OSUNA
[jmir@ec-nantes.fr@nautilus-devel-001 LAB-DATA]$ cd GLiCID/
[jmir@ec-nantes.fr@nautilus-devel-001 GLiCID]$ ls
projects users
[jmir@ec-nantes.fr@nautilus-devel-001 GLiCID]$ cd projects/
[jmir@ec-nantes.fr@nautilus-devel-001 projects]$ ls
CLAM FI2309191 GenoBiRD Icitech MesoScaleABL
EnVision GCP GLiCID-admins ITX nuts-workshop
[jmir@ec-nantes.fr@nautilus-devel-001 projects]$
```


Get Your Hands Dirty Again



Thank you. Any questions?



Please answer the survey if you haven't yet
<https://forms.gle/B4dto4axGm4EVPwaA>

Useful links:

User Doc: <https://doc.glicid.fr>

Support: <https://help.glicid.fr> or support@glicid.fr

Chat: On CLAM website

Admins: tech@glicid.fr

Forum: Coming soon

Status page: <https://ckc.glicid.fr>